Vol. 35, 1965

THE REVIEW OF PHYSICAL CHEMISTRY

Founded in 1926

OF JAPAN

CONTENTS

Tetuo Mizukami: Physico-Chemical Studies on Acetaldehyde Polymerization at
High Pressure and Low Temperature (I) Liquid-Solid Transition and Polymeri-
zation of Acetaldehyde 5
Tetuo Mizukami: Physico-Chemical Studies on Acetaldehyde Polymerization at
High Pressure and Low Temperature (II) The Kinetics of the Polymerization
of Acetaldehyde 6
Tetuo Mizukami: The Melting Polymerization of Acetaldehyde
Kiyoshi Kitamura: Studies on the Telomerization of Ethylene with Carbon Tetra-
chloride (I) Kineticsm of the Telomerization Initiated by Azo-bis-isobutyro-
nitrile 8
Kiyoshi Kitamura: Studies on the Telomerization of Ethylene with Carbon
Tetrachloride (II) Properties of Ethylene and Tetrachloro-Alkanes Mixtures9
Jiro Osugi, Kumao Hamanoue and Satoshi Hirayama: Studies on the Kinetics
of the Thermal Polymerization of Butadiene under High Pressure10
S. D. Hamann: Diminished Solubility of Dodecylamine Hydrochloride in Water
at High Pressures10

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

I. Tsujikawa

A. Kaji A. Saika

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

President: Shinkichi Horiba, Professor Emeritus, M. J. A.

Members of Council:

Azuma Okuda (Chief)

J. Osugi Y. Kachi

H. Takagi

K. Kodera R. Goto H. Hatano

T. Yamamoto W. Jono

T. Fujinaga S. Tanaka

R. Goto E. Suito

Board of Editors:

J. Osugi (Chief) Kyoto University

W. Jono (Associate) University of Kobe

) Kyoto University R. Goto (

E. Suito () Kyoto University

Tokyo Institute of Technology S. Shida

T. Kitagawa Yokohama University

Kyoto University M. Tamura Doshisha University H. Matsuyama

Kyoto Technical University T. Makita

K. Suzuki Ritsumeikan University K. Hirota University of Osaka

University of Osaka S. Seki

Himeji Institute of Technology T. Ishino Municipal University of Osaka

T. Imoto R. Fujishiro Municipal University of Osaka

Prefectural University of Osaka O. Toyama

Prefectural University of Osaka S. Ono

University of Kobe S. Tsuchihashi S. Hasegawa Okayama University

H. Togawa Doshisha University

Secretary:

M. Sato K. Shimizu

T. Fujiwara

April 30, 1966

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, College of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, College of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

College of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA INSATSU CO., Kyoto, Japan

ASAHI CHEMICAL INDUSTRY CO., LTD.

Capital: ¥ 20,000,000,000

President: KAGAYAKI MIYAZAKI

Head Office: 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan Tokyo Office: 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan Other Branch Offices: Nobeoka, Fuji, Fukuoka, Sapporo, Nagoya,

Fukui, Kanazawa, New York

Plants: Nobeoka, Fuji, Kawasaki, Sakanoichi, Wakayama, Matudo

Laboratories: Tokyo (Technical Research Laboratory)
Takatsuki (Textile Research Laboratory)

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.

Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.


This fact points up to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki plant, Asahi produces polyacrylic fiber "Cashimilon" by its own process. Production acrylonitrile monomer and of polyacrylic fiber is also the largest in Japan. Asahi's chemical seasoning (monosodium

glutamate) Asahi Aji, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and electrolytic soda production is the largest in Japan. Asahi is also at the top in production volume of all the explosives manufacturers in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "Silikaltsuiit".


At present, Asahi's products are exported to 50 different countries. Export of the process is also making headway. Worthy of mention in this connection is the export of viscose rayon manufacturing techniques to the Baroda Rayon Corporation, India and Dawood Industries Limited, Pakistan, of polyacrylic fiber manufacturing techniques to ANIC S. p. A., Italy and of Acrylonitrile Monomer Manufacturing Technique to U. S. S. R. Through all these activities, the excellence of Asahi's techniques is highly evaluated.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multiple-purpose chemical company.

VERY HIGH PRESSURE EQUIPMENT



"DIA" Equipment, Cubic Type Very High Pressure Equipment, Anvil Face 10mmX10mm, Total Weight 8 ton



S.H.P. Measurement Gauge, Electrical Resistance Strain Gauge Type, Calibrated with the Master Free-Piston Gauge in Kobe Steel. (Japanese PAT. No.294153)

♦ KOBE STEEL

MACHINERY DIVISION

HEAD OFFICE: 36, 1-chome, Wakinohama-cho, Fukiai-ku, Koke, Japan OVERSEAS OFFICES: 86, 1-chome, Wakinohama-cho, Fukiai-ku, Koke, Japan OVERSEAS OFFICES: Nanagiya Bidg., No. 2-1, Tori 2-Chome, Nihonbashi, Chuo-ku, Tokyo, Japan

Liquid Pressure up to 15,000kg/cm²
Solid Pressure up to 100,000kg/cm²
for Production and Research Purposes
Super High Pressure Generator Unit
Super High Pressure Reaction Vessel
Super High Pressure Measurement
Gauge

Super High Pressure Equipment

Other Major Products:

Fertilizer Plant, Cement Plant, Oxygen Plant, Rolled Steel Products, Steel Castings & Forgings, General Industrial Machineries, Light Metal Alloy Castings & Forgings, Titanium Products, Arc Welding Electrodes, Small Tools, Non Ferrous Metals & Their Products, Sugar Cane Milling Plant.



Now Ready For Use: The Tri-band ESR


JES-3BS ESR

.... with Unique Linear Field Sweep Unit!

The JES-3BS is a new versatile ESR instrument with excellent features:—
Super Sensitivity

Ultra Resolution
Easy Operation
Valuable Attachments
Tri-Measurement at X, K & Q Bands

The JES-3BS which is provided with a unique low-impedance magnet, a direct read-off circuit of the magnetic field and a linear field sweep method has the following records.



● Specifications (at X-Band measurement)
Detection Sensitivity····1 × 10¹¹ spin/gauss


(100 kc modulation) 1×10¹² spin/gauss

(80c/s modulation)

Resolution $\cdots 1 \times 10^{-5}$ or more Standard Frequency $\cdots 9,400$ Mc (X-band) Cavity Resonator $\cdots TE_{011}$ (cylinder)

Versatile type

Variable Range of Mag. Field (18,000 gauss with the auxiliary pole piece)



ESR Signal of Cr8* in single crystal of ruby N. B.: Absorption signals distinctly appear in a wide range by the linear field sweep unit.

JAPAN ELECTRON OPTICS LABORATORY CD., LTD.

New Tokyo Bldg., Tokyo, Japan

The Review of Physical Chemistry of Japan

Vol. 35, 1965

CONTENTS

No. 1


Tsunesuke Doi: Physico-Chemical Properties of Sulfur (II) Effects of Different Types
of Reagent on Viscosities of Liquid Sulfur
Tsunesuke Doi: Physico-Chemical Properties of Sulfur (III) Dissolved State of Sulfur
Polymers in Liquid Sulfur 11
Tsunesuke Doi: Physico-Chemical Properties of Sulfur (IV) Critical Polymerization
Temperatures and Polymerization Equilibrium Constants of Sulfur 18
Jiro Osugi and Yoichi Kitamura: Optical Studies of Pressure Effects (I) The
Measurement of the O-H Stretching Vibration Band of Ethanol
Jiro Osugi, Masanori Sato and Naoyuki Ifuku: Micelle Formation of Cationic
Detergent Solution at High Pressures
Jiro Osugi, Hironobu Kubota and Katsukuni Ueba: Studies on Explosion Limits
of Butadiene-Air Mixture
Kiyoshi Kitamura Inactivation of Enzymes under High Pressure (I) Inactivation of
Salivary α -Amylase under High Pressure
No. 2
Tetuo Mizukami: Physico-Chemical Studies on Acetaldehyde Polymerization at
High Pressure and Low Temperature (I) Liquid-Solid Transition and Polymeri-
zation of Acetaldehyde
Tetuo Mizukami: Physico-Chemical Studies on Acetaldehyde Polymerization at
High Pressure and Low Temperature (II) The Kinetics of the Polymerization
of Acetaldehyde
Tetuo Mizukami: The Melting Polymerization of Acetaldehyde
Kiyoshi Kitamura: Studies on the Telemerization of Ethylene with Carbon Tetra-
chloride (I) Kinetics of the Telomerization Initiated by Azo-bis-isobutyro-
nitrile
Tetrachloride (II) Properties of Ethylene and Tetrachloro-Alkanes Mixtures 92
Jiro Osugi, Kumao Hamanoue and Satoshi Hirayama: Studies on the Kinetics
of the Thermal Polymerization of Butadiene under High Pressure
S. D. Hamann: Diminished Solubility of Dodecylamine Hydrochloride in Water
· · · · · · · · · · · · · · · · · · ·
at High Pressures109

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

College of Science, Kyoto University, Kyoto, Japan





contributing to the increase of agricultural production, the modernization of industries and the betterment of people's daily lives. Toyo Koatsu techniques are licensed in and products have been exported to more than 30 countries.

These include urea, ammonium sulphate, synthetic resins and plastics, and other chemicals.



Mitsui Daini Bekkan, 2,4 chome, Nihonbashi Hongoku-Cho, Chuo-ku, Tokyo Cable address: 'TOATSUIND TOKYO''



Single crystals of HORIBA INSTRUMENTS, INC., offered as complete products ready to use which are free from impurity absorption, have aquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI₂ are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCi	KRS-5*	KRS-6*	CsI
Limit of transparancy (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:	35.7	28.5	53.5	127.5	0.27	8.9 × 10 ⁻⁵	0.02	0.32	44
Specific gravity: gr/cm³	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: 'C	801	776	730	680	843	455	415	424	621
Maximum diameter:	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

^{*} KRS-5 is a compound single crystal of TII and TIBr, and KRS-6 is a compound single crystal of TICl and TIBr.

HORIBA INSTRUMENTS, INC.

Head office & Factory: Nakagawara Miyanohigashi-machi, Kissyoin, Minami-ku, Kyoto Tel: 37-8121 Tokyo branch office : No. 2-10, Nishihatchobori, Chuo-ku, Tokyo. Tel: 552-7661

^{**} g/100 gr water at normal temperature