

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

M. Srichand and M. A. Tirunarayanan: A Correlation Technique for Predicting the Viscosity of Freon-12 and Freon-22 Vapours	85
Jiro Osugi, Kiyoshi Shimizu, Kazuo Yasunami, Masato Moritoki and Akifumi Onodera: Liquid-Solid Transition at High Pressure III, Benzene, Monochlorobenzene and Toluene at 25°C	90
Jiro Osugi, Kumao Hamanoue and Tadafumi Tachibana: The Polymerization of Propylene under High Pressure	96
Kumao Hamanoue: Pressure Effect on the Kinetics of Polymerization I, Bulk Polymerization of Vinyl Chloride, Propylene and Butadiene.....	103
Kumao Hamanoue: Pressure Effect on the Kinetics of Polymerization II, Bulk Copolymerization of Vinyl Chloride with Propylene and Isobutylene.....	120
Yoshiyuki Tanaka: Chemical Reaction at High Temperature and High Pressure V, Kinetics of Solid State Reaction of Zinc with Phosphorus to form Zn_3P_2 under High Pressure	137
Yoshiyuki Tanaka: Chemical Reaction at High Temperature and High Pressure VI, Polymorphic Transition in ZnP_2 at High Temperature and High Pressure	151

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

Members of Council :

Azuma Okuda (Chief)

J. Osugi	S. Kachi	I. Tsujikawa
K. Koderu	H. Takagi	A. Kaji
R. Goto	H. Hatano	A. Saika
T. Yamamoto	W. Jono	H. Katsuki
T. Fujinaga	R. Goto	
E. Suito		

Board of Editors :

J. Osugi (Chief)	<i>Kyoto University</i>
W. Jono (Associate)	<i>Osaka Women's University</i>
R. Goto (")	<i>Kyoto Sangyo University</i>
E. Suito (")	<i>Kyoto University</i>
S. Shida	<i>Tokyo Institute of Technology</i>
T. Kitagawa	<i>Yokohama University</i>
M. Tamura	<i>Kyoto University</i>
H. Matsuyama	<i>Doshisha University</i>
H. Teranishi	<i>Kyoto Technical University</i>
K. Suzuki	<i>Ritsumeikan University</i>
K. Hirota	<i>University of Osaka</i>
S. Seki	<i>University of Osaka</i>
T. Ishino	<i>Himeji Institute of Technology</i>
T. Imoto	<i>Osaka City University</i>
R. Fujishiro	<i>Municipal University of Osaka</i>
O. Toyama	<i>Prefectural University of Osaka</i>
S. Ono	<i>Prefectural University of Osaka</i>
S. Tsuchihashi	<i>University of Kobe</i>
T. Makita	<i>University of Kobe</i>
S. Hasegawa	<i>Okayama University</i>
H. Togawa	<i>Doshisha University</i>

Secretary :

K. Shimizu	M. Sasaki
K. Hara	T. Yabu

June 30, 1969

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA INSATSU CO., Kyoto, Japan

NTK STAINLESS STEEL

 **NIPPON METAL INDUSTRY CO., LTD.**

Head Office: New Tokyo Bldg., 2-4, Yuraku-cho, Chiyoda-ku,
Tokyo, Japan. Cable Address: NIKKINKO TOKYO

Branches: OSAKA - Iyo Bldg., 41, 4-chome, Minamihon-machi,
Higashi-ku, Osaka.

NAGOYA - Green Bldg., 18-16, 1-chome Nishiki-cho,
Naka-ku, Nagoya.

Couple Swan



NTK STAINLESS STEEL

The Review of Physical Chemistry of Japan

Vol. 38, 1968

CONTENTS

No. 1

SPECIAL EDITION

THE CO-OPERATIVE RESEARCHES ON THE FUNDAMENTAL STUDIES OF THE LIQUID PHASE REACTIONS AT HIGH PRESSURES

Jiro Osugi: Forword on the Co-operative Researches.....	1
Yoshiaki Ogo and Tatsuya Imoto: Solvent Effects on Several polymerizations under High pressure	4
Hiroji Iwasaki and Mitsuo Takahashi: Studies on the Transport properties of Fluids at High Pressure I, The Viscosity of Ammonia.....	18
Shinji Takahashi and Hiroji Iwasaki: Studies on the Transport Properties of Fluids at High Pressure II, The Diffusion of $^{14}\text{CO}_2$ in the Carbon Dioxide-Argon and Carbon Dioxide-Methane Systems at High Pressures.....	28
Tadashi Makita and Toshiharu Takagi: Ultrasonic Velocity in Liquid and Thermodynamic properties of Benzene and Carbon Tetrachloride under Pressures	41
Takashi Moriyoshi and Kazuo Mikami: The Effect of Pressure and Temperature on the Base-catalyzed Condensation of Cyclohexanone.....	50
Jiro Osugi, Masanori Sato and Naoyuki Ifuku: The Effect of Pressure and Temperature on the Micelle Formation of Dodecylbenzylammoniumchloride Solution	58
Keizo Suzuki, Yoshiaki Miyosaya, Masao Tsuchiya and Yoshihiro Taniguchi: Biopolymer Solutions and Model Systems under High Pressure	63
Yoshimasa Takezaki, Hiroshi Teranishi, Nobuyuki Sugita and Kiyoshi Kudo: High Pressure Syntheses of Aromatic Aldehydes	69
Gen-ichi Kaminishi and Tatsu Toriumi: Vapor-liquid Equilibria in the Systems: $\text{CO}_2\text{-CO}$, $\text{CO}_2\text{-H}_2$ and $\text{CO}_2\text{-CH}_4$	79

No. 2

M. Srichand and M. A. Tirunarayanan: A Correlation Technique for Predicting the Viscosity of Freon-12 and Freon-22 Vapours	85
Jiro Osugi, Kiyoshi Shimizu, Kazuo Yasunami, Masato Moritoki and Akifumi Onodera: Liquid-Solid Transition at High Pressure III, Benzene, Monochlorobenzene and Toluene at 25°C	90

Jiro Osugi, Kumao Hamanoue and Tadafumi Tachibana: The Polymerization of Propylene under High Pressure	96
Kumao Hamanoue: Pressure Effect on the Kinetics of Polymerization I, Bulk Polymerization of Vinyl Chloride, Propylene and Butadiene	103
Kumao Hamanoue: Pressure Effect on the Kinetics of Polymerization II, Bulk Copolymerization of Vinyl Chloride with Propylene and Isobutylene.....	120
Yoshiyuki Tanaka: Chemical Reaction at High Temperature and High Pressure V, Kinetics of Solid State Reaction of Zinc with Phosphorus to form Zn_3P_2 under High Pressure	137
Yoshiyuki Tanaka: Chemical Reaction at High Temperature and High Pressure VI, Polymorphic Transition in ZnP_2 at High Temperature and High Pressure.....	151

Published by
THE PHYSICO-CHEMICAL SOCIETY OF JAPAN
Faculty of Science, Kyoto University, Kyoto, Japan



Set to go on-stream in mid-1969, MITSUI TOATSU's new facility in Osaka will be the largest single-train urea plant ever built. It employs the latest MITSUI TOATSU Urea Process—the Total Recycle C-Improved Process.

MITSUI TOATSU Urea Processes are now in use in 37 plants in 19 countries, with an additional 12 more plants now under construction. World-wide, the production capacity of these plants is reaching to some 8.2 million tons of urea annually—one third of the world's urea capacity.

On October 1st, 1968, Toyo Koatsu merged with Mitsui Chemicals and changed its name to MITSUI TOATSU CHEMICALS, INC.



A new name — one to remember every time you think of petrochemicals.

MITSUI TOATSU CHEMICALS, INC.

2-5, KASUMIGASEKI 3-CHOME, CHIYODA-KU, TOKYO 100, JAPAN Cable:MITSUITOATSU
Telex:No.0222-3622, MITUI TOATU TOK


PRODUCTS FOR TODAY ———

PRODUCTS FOR TOMORROW

KANEGAFUCHI now serves more than 100 industries varying from food to feed, soaps to textiles, electric wires to plastics.

KANEGAFUCHI's variety of products include industrial chemicals, polymers, oil & fat products and fermentation products. Such diversified operation ranks KANEGAFUCHI a unique position in the industry.

KANEGAFUCHI's research activities which enabled successful achievement of today's products are continually producing a flow of new products to meet the challenge of tomorrow



PRINCIPAL PRODUCTS :

- KANEVINYL (PVC & copolymer, PVC compound)
- KANE ACE-S (ABS resin)
- KANE ACE-B (PVC modifier)
- KANE PEARL (expandable polystyrene beads)
- KANEKALON (modacrylic fiber)
- Electric wires & cables
- Caustic soda, Hydrochloric acid, KANECHLOR (transformer oil, heat transfer medium), Butanol, Acetone
- Bakery yeast, RNP (ribonucleo-protein), MIKAMY-Feed (animal feed additives)
- Margarine, Shortening oil, Soap, Glycerine

KANEGAFUCHI CHEMICAL INDUSTRY CO, LTD.

14, 2-chome, Awazi-machi, Higashi-ku, Osaka, Japan

Cable address: CHEMIKANE

ASAHI CHEMICAL INDUSTRY CO., LTD.

Capital: ¥ 21,430,260,800

President: KAGAYAKI MIYAZAKI

Head Office: 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan

Tokyo Office: 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan

Other Branch Offices: Nobeoka, Nagoya, Fukuoka, Mizushima, Fuji, Sapporo,
Fukui, Kanazawa, New York, Hamburg, Hong Kong, Taipei

Plants: Nobeoka, Fuji, Kawasaki, Sakanoichi, Wakayama, Matsudo

Laboratories: Tokyo (Technical Research Laboratory)
Takatsuki (Textile Research Laboratory)

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.


Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.

This fact points up to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki plant, Asahi produces polyacrylic fiber "CASHMILON" by its own process. Production acrylonitrile monomer and of polyacrylic fiber is also the largest in

Japan. Asahi's chemical seasoning (monosodium glutamate) AsahiAji, MITASU, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and electrolytic soda production is the largest in Japan. Asahi is also at the top in production volume of all the explosives manufacturers in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "HEBEL".

At present, Asahi's products are exported to 50 different countries. Export of the process is also making headway. Worthy of mention in this connection is the export of viscose rayon manufacturing techniques to the Baroda Rayon Corporation, India, and Dawood Industries Limited, Pakistan, and of polyacrylic fiber manufacturing techniques to ANIC S. p. A., Italy. Through all these activities, the excellence of Asahi's techniques is highly evaluated.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multiple-purpose chemical company.



Single crystals of HORIBA., offered as complete products ready to use which are free from impurity absorption, have acquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI_2 are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	8.9×10^{-5}	0.02	0.32	44
Specific gravity: gr/cm^3	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: $^{\circ}\text{C}$	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

** g/100 gr water at normal temperature.

HORIBA, Ltd.

Head office & Factory:

Miyanohigashi-machi,
Kissyojin, Minami-Ku, Kyoto
Tel: (075) 313-8121

Tokyo branch office:

No. 2-18, Nishihatchobori, Chuo-ku,
Tokyo Tel: (03) 552-7661