

Vol. 40, 1970

No. 2

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

F. William Linsley Jr., Jerald S. Bradshaw and H. Tracy Hall: High Pressure Affects on Conjugated Aromatic Compounds.....	69
Kimihiko Hara: High Pressure and High Temperature Reactions in the Organic Solid State—Polymerization of Nitriles.....	73
Kimihiko Hara: Effects of Pressure on the Electrical Properties of Organic Semi- conductors—Pyrolyzed Polyacrylonitrile and α,α -Diphenyl- β -Picrylhydrazyl.....	93
Takashi Moriyoshi: Effects of Pressure on Organic Reactions IV, The Base-catalyzed Decomposition of Diacetone Alcohol in Aqueous Ethanol Mixture.....	102
Viro Osugi: Pressure Effects on Solid State Polymeric Transformations.....	122

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

President: Wasaburo Jono

Members of Council:

Toshio Maeda (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

Board of Editors:

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito (") *Kyoto University*

S. Shida *Tokyo Institute of Technology*

T. Kitagawa *Yokohama University*

M. Tamura *Kyoto University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

T. Imoto *Osaka City University*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Doshisha University*

Secretary:

K. Hara

October 15, 1971

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD. Kyoto, Japan

ASAHI CHEMICAL INDUSTRY CO., LTD.

Capital: ¥24,905,158,600

President: KAGAYAKI MIYAZAKI

Head Office: 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan

Tokyo Office: 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan

Other Branch Offices: Nobeoka, Nagoya, Fukuoka, Mizushima, Fuji, Kawasaki, Sapporo, Hokuriku, New York, Hamburg, Hong Kong, Taipei, Beirut, Djakarta.

Plants: Nobeoka, Mizushima, Fuji, Kawasaki, Sakanoichi, Wakayama, Matsudo, Hozumi, Iwakuni, Shiraoi.

Laboratories: Tokyo, Nobeoka, Takatsuki

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.

Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.

This fact points to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki and Mizushima plants, Asahi produces polyacrylic fiber "Cashmilon" by its own process. Production of acrylonitrile monomer and polyacrylic fiber is also the largest in

Japan. Asahi's chemical seasoning (monosodium glutamate) Asahi Aji, MITASU, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and explosives production is the largest in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "HEBEL" and "AHS Pile".

With a view to expanding into a more diversified chemical company, Asahi Chemical is now constructing at Mizushima, Okayama Prefecture, a petrochemical complex at which such industrial chemicals as high density polyethylene "SUNTEC" and acrylonitrile monomer are already in production and ammonia will soon be manufactured.

The products of Asahi are exported to more than 100 countries while its techniques and plants are exported to more than 10 countries including the U.S.A., England, France, U.S.S.R., Italy and Korea where all of these are enjoying a great reputation.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multi-purpose chemical company.

The Review of Physical Chemistry of Japan

Vol. 40, 1970

CONTENTS

No. 1

Masaru Nakahara, Kiyoshi Shimizu and Jiro Osugi: Ionic Solutions under High Pressures I, Pressure and Temperature Effects on the Mobilities of the $\text{Co}(\text{NH}_3)_6^{3+}$ and SO_4^{2-} Ion.....	1
Masaru Nakahara, Kiyoshi Shimizu and Jiro Osugi: Ionic Solutions under High Pressures II, Pressure and Temperature Effects on the Dissociation of the $\text{Co}(\text{NH}_3)_6^{3+}\text{-SO}_4^{2-}$ Ion-pair	12
Masatomo Fujimoto: Physico-Chemical Properties of Zinc and Cadmium in Gallium Arsenide.....	21
Masatomo Fujimoto: Solubility and Distribution Coefficient of Cadmium in Gallium Arsenide.....	34
Jiro Osugi, Muneco Sasaki and Ichiro Onishi: The Effect of Pressure on the Rate of the Benzidine Rearrangement IV, 2,2'-Dimethoxyhydrazobenzene.....	39
Takashi Moriyoshi and Katsuhiro Tamura: Effects of Pressure on Organic Reactions II, The Acid-Catalyzed Rearrangement of Pinacol	48
Takashi Moriyoshi and Masahiro Hirata: Effects of Pressure on Organic Reactions III, The Base-Catalyzed Reduction of Diisobutylketone.....	59

No. 2

F. William Linsley Jr., Jerald S. Bradshaw and H. Tracy Hall: High Pressure Affects on Conjugated Aromatic Compounds.....	69
Kimihiko Hara: High Pressure and High Temperature Reactions in the Organic Solid State—Polymerization of Nitriles	73
Kimihiko Hara: Effects of Pressure on the Electrical Properties of Organic Semiconductors—Pyrolyzed Polyacrylonitrile and α,α -Diphenyl- β -Picrylhydrazyl.....	93
Takashi Moriyoshi: Effects of Pressure on Organic Reactions IV, The Base-catalyzed Decomposition of Diacetone Alcohol in Aqueous Ethanol Mixture.....	102
Jiro Osugi: Pressure Effects on Solid State Polymeric Transformations.....	122

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

Faculty of Science, Kyoto University, Kyoto, Japan

We offer our sincere apologies for the delay, caused by a labor strike in the printing company, in publishing this number of our journal. Hereafter we will take the utmost care to avoid such an occurrence.

We hope for your continued support in the future.

Editors

KANEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology. KANEKA's unique, high-quality products are as follows..." Kanekalon," a self-extinguishing modacrylic fiber and is booming for its suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

- * KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- * KANEKA's products have, for the most part, originated in its own laboratories.
- * 55% of KANEKA's products have been developed on its hands for the first time in Japan.

KANEKA

For further details, please write to:
KANEGAFUCHI CHEMICAL IND. CO., LTD.

Head Office: (Asahi Shinbun Bldg.) 3, 3-chome, Nakano-shima,
Kita-ku, Osaka, Japan

Phone: Osaka (06) 202-1121


Tokyo Office: (Ohtemachi Bldg.) 4, 1-chome, Ohtemachi, Chiyoda-ku,
Tokyo, Japan

Phone: Tokyo (03) 216-1011

New York Office: PANAM Bldg., 37th Floor, 200 Park Avenue,
New York, N.Y. 10017, U.S.A.

Phone: (212) 973-4885

Europe Office: 4 Dusseldorf Berliner Allee 26, West Germany
Phone: 12738



To assist industrialization of country development is our policy.

Supplying all of the world with high level
technics. It's KOBE STEEL's policy and desire.
Our various engineering, for instance, export
of STEEL PLANT to Pakistan, has been playing
the part of assistant to develop industrialization
of country expanding.
Please call us "Industrial envoy".

Recent Exports.

- Steel Plant, East Pakistan
- Aluminum Containers, U.S.S.R.
- P&H2100 Electric Shovel, Canada
- Fertilizer Factory, Zambia




**INDUSTRIAL-
IZATION**



KOBE STEEL

KOBE, JAPAN



Single crystals of HORIBA., offered as complete products ready to use which are free from impurity absorption, have acquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI_2 are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	8.9×10^{-5}	0.02	0.32	44
Specific gravity: gr/cm^3	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: $^{\circ}\text{C}$	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

** g/100 gr water at normal temperature.


HORIBA, Ltd.

Head office & Factory:


Miyanohigashi-machi,
Kissyojin, Minami-Ku, Kyoto
Tel: (075) 313-8121

Tokyo branch office:

No. 2-18, Nishihatchobori, Chuo-ku,
Tokyo Tel: (03) 552-7661



Less is more.



Warp yarn can be sized with starch. Or with Poval, our water-soluble polyvinyl alcohol.

Starch is cheaper. Or so you think.

When you size with starch, you have to put a lot of starch on your yarn.

And when you've wound that yarn on the beam, what have you got?

A lot of starch.

Very little yarn.

Now, when you size with Poval, you use very little.

Because its adhesion is so good. And it doesn't fall off.

So you get more yardage on a beam.

And have to change beams less often.

Also, you can work in a better environment, with lower air humidity.

Best of all, Poval protects your yarn better. Warp breakage goes down. Weaving efficiency goes up.

What kinds of yarn can you size with Poval?

Spun warps. And filament warps. Of practically any fiber known to man.

Find out what a little Poval can do. And leave starch where it belongs.

In your mashed potatoes.

Detailed technical information upon request.
Please mention field of application.

KURARAY POVAL
(Polyvinyl alcohol)

KURARAY CO., LTD.
POVAL SALES DEPT.

8, Urmeda, Kita-ku, Osaka, Japan / Cable Add.: KURARAY OSAKA
3-1, Nishi-bashi-Tori, Chuo-ku, Tokyo, Japan / Cable Add.: KURARAY TOKYO