

Y. Hara

Vol. 42, 1972

No. 1

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

**Etsuko Inada, Kiyoshi Shimizu and Jiro Osugi : Electrical Conductivity of
CaSO₄ in Aqueous Solution under High Pressure 1**

**Masaru Nakahara, Kiyoshi Shimizu and Jiro Osugi : Ionic Solutions under
High Pressures III, Pressure and Temperature Effects on the Mobilities
of K⁺ and Cl⁻ Ions.....12**

**Tomomasa Mitani, Yoshiaki Ogo and Tatsuya Imoto : High Pressure
Polymerization of α -Methylstyrene25**

**Yoshiaki Ogo and Tatsuya Imoto : The Penultimate Effect on Copoly-
merization under High Pressure34**

**Satoshi Hirayama : Photochemical Reactions of Aromatic Aldehydes and
Ketones —Higher Triplet State Reactions and Radiationless Transitions.....49**

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

President: Wasaburo Jono

Members of Council :

Toshio Maeda (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

Board of Editors :

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito (") *Kyoto University*

S. Shida *Tokyo Institute of Technology*

T. Kitagawa *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

T. Imoto *Osaka City University*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Doshisha University*

Secretary :

K. Hara

M. Furuta

We offer our sincere apologies for the delay, caused by a labor strike in the printing company, in publishing this number of our journal. Hereafter we will take the utmost care to avoid such an occurrence.

We hope for your continued support in the future.

Editors

September 30 1972

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.


Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD. Kyoto, Japan



Single crystals of HORIBA., offered as complete products ready to use which are free from impurity absorption, have acquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI₂ are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	8.9×10^{-5}	0.02	0.32	44
Specific gravity: gr/cm ³	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: °C	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

** g/100 gr water at normal temperature.

HORIBA, Ltd.

Head office & Factory:

Miyahigashi-machi,
Kissyojin, Minami-Ku, Kyoto
Tel: (075) 313-8121

Tokyo branch office:

No. 2-18, Nishihatchobori, Chuo-ku,
Tokyo Tel: (03) 552-7661

KANEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology. KANEKA's unique, high-quality products are as follows... "Kanealon," a self-extinguishing modacrylic fiber and is booming for its suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

- * KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- * KANEKA's products have, for the most part, originated in its own laboratories.
- * 55% of KANEKA's products have been developed on its hands for the first time in Japan.

KANEKA


For further details, please write to:
KANEGAFUCHI CHEMICAL IND. CO., LTD.


Head Office: (Asahi Shinbun Bldg.) 3, 3-chome, Nakanoshima, Kita-ku, Osaka, Japan
Phone: Osaka (06) 202-1121

Tokyo Office: (Ohtemachi Bldg.) 4, 1-chome, Ohtemachi, Chiyoda-ku, Tokyo, Japan
Phone: Tokyo (03) 216-1011


New York Office: PANAM Bldg., 37th Floor, 200 Park Avenue, New York, N.Y. 10017, U.S.A.
Phone: (212) 973-4885

Europe Office: 4 Dusseldorf Berliner Allee 26, West Germany
Phone: 12738





Less is more.



Warp yarn can be sized with starch. Or with Poval, our water soluble polyvinyl alcohol.

Starch is cheaper. Or so you think.

When you size with starch, you have to put a lot of starch on your yarn.

And when you've wound that yarn on the beam, what have you got?

A lot of starch.

Very little yarn.

Now, when you size with Poval, you use very little. Because its adhesion is so good. And it doesn't fall off.

So you get more yardage on a beam.

And have to change beams less often.

Also, you can work in a better environment, with lower air humidity.

Best of all, Poval protects your yarn better. Warp breakage goes down. Weaving efficiency goes up.

What kinds of yarn can you size with Poval?

Spun warps. And filament warps. Of practically any fiber known to man.

Find out what a little Poval can do. And leave starch where it belongs.

In your mashed potatoes.

Detailed technical information upon request.
Please mention field of application.

KURARAY POVAL
Polyvinyl alcohol

KURARAY CO., LTD.
POVAL SALES DEPT.

8, Umeda, Kita-ku, Osaka, Japan / Cable Add: KURARAY OSAKA
3-1, Nishi-Shinjyuku, Shinjyuku-ku, Tokyo, Japan / Cable Add: KURARAY TOKYO