

Vol. 42, 1972

No. 2

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

Masaru Nakahara : Ionic Solutions under High Pressures IV, Effects of Pressure on the Mobilities and Hydration of Bu_4N^+ , Me_4N^+ , K^+ and Cl^- Ions	75
Fujio Tanaka and Jiro Osugi : Pressure Effects on Fluorescence and Photodimerization of Anthracene and 9-Methylanthracene in Solution.....	85
Daizaburo Shinoda : Physico-Chemical Studies of Platinum-Silicon Interfaces.....	94
Hiroshi Nakatani and Jiro Osugi : Kinetic Study of Rare Earth-EDTA-Tiron Mixed Complex Formation Reaction in Aqueous Solution	103
Hiroshi Nakatani : Kinetics of Stereoselective Complexation Reactions of Histidine and Leucyltyrosine with Divalent Metal Ions in Aqueous Solution	108
Ichimatsu Tanishita, Koichi Watanabe, Hiroshi Kondo and Atsushi Nakashima : Thermodynamic Properties of Gaseous Methane	125
International Regional Meeting, AIRAPT	135

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

President: Wasaburo Jono

Members of Council:

Toshio Maeda (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

Board of Editors:

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito (") *Kyoto University*

S. Shida *Tokyo Institute of Technology*

T. Kitagawa *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

T. Imoto *Osaka City University*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Doshisha University*

Secretary:

K. Hara

M. Nakahara

M. Furuta

April 30, 1973

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan

KANEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology. KANEKA's unique, high-quality products are as follows..." Kanekalon," a self-extinguishing modacrylic fiber and is booming for its suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

- * KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- * KANEKA's products have, for the most part, originated in its own laboratories.
- * 55% of KANEKA's products have been developed on its hands for the first time in Japan.


KANEKA

For further details, please write to:
KANEGAFUCHI CHEMICAL IND. CO., LTD.

Head Office: (Asahi Shinbun Bldg.) 3, 3-chome, Nakanoshima, Kita-ku, Osaka, Japan
Phone: Osaka (06) 202-1121
(Ohtemachi Bldg.) 4, 1-chome, Ohtemachi, Chiyoda-ku, Tokyo, Japan
Phone: Tokyo (03) 216-1011

New York Office: PANAM Bldg., 37th Floor, 200 Park Avenue, New York, N.Y. 10017, U.S.A.
Phone: (212) 973-4885

Europe Office: 4 Dusseldorf Berliner Allee 26, West Germany
Phone: 12738



The Review of Physical Chemistry of Japan

Vol. 42, 1972

CONTENTS

No. 1

Etsuko Inada, Kiyoshi Shimizu and Jiro Osugi: Electrical Conductivity of CaSO_4 in Aqueous Solution under High Pressure.....	1
Masaru Nakahara, Kiyoshi Shimizu and Jiro Osugi: Ionic Solutions under High Pressures III, Pressure and Temperature Effects on the Mobilities of K^+ and Cl^- Ions	12
Tomomasa Mitani, Yoshiaki Ogo and Tatsuya Imoto: High Pressure Polymerization of α -Methylstyrene.....	25
Yoshiaki Ogo and Tatsuya Imoto: The Penultimate Effect on Copolymerization under High Pressure	34
Satoshi Hirayama: Photochemical Reactions of Aromatic Aldehydes and Ketones — Higher Triplet State Reactions and Radiationless Transitions	49

No. 2

Masaru Nakahara: Ionic Solutions under High Pressures IV, Effects of Pressure on the Mobilities and Hydration of Bu_4N^+ , Me_4N^+ , K^+ and Cl^- Ions.....	75
Fujio Tanaka and Jiro Osugi: Pressure Effects on Fluorescence and Photodimerization of Anthracene and 9-Methylanthracene in Solution.....	85
Daizaburo Shinoda: Physico-Chemical Studies of Platinum-Silicon Interfaces	94
Hiroshi Nakatani and Jiro Osugi: Kinetic Study of Rare Earth-EDTA-Tiron Mixed Complex Formation Reaction in Aqueous Solution	103
Hiroshi Nakatani: Kinetics of Stereoselective Complexation Reactions of Histidine and Leucyltyrosine with Divalent Metal Ions in Aqueous Solution	108
Ichimatsu Tanishita, Koichi Watanabe, Hiroshi Kondo and Atsushi Nakashima: Thermodynamic Properties of Gaseous Methane	125
International Regional Meeting, AIRAPT.....	135

Published by


THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

Faculty of Science, Kyoto University, Kyoto, Japan

HORIBA'S HIGH-PURITY SYNTHETIC CRYSTALS


for precision optical measurements
of radiation, infrared, ultraviolet or laser beam.

Nal (Tl) SCINTILLATOR



HORIBA, Ltd. has established a steady production line for large size crystals of greater than 12 inches by diameter in addition to conventional size crystals. The photograph at right shows an Nal(Tl) Scintillator for use with scintillation camera. The large diameter Nal(Tl) scintillator enabled scintillation survey of an extensive area to be done in a drastically shorter time. HORIBA, Ltd. is ready to respond to your requirements for any purpose as for as the scintillators are concerned.

INFRARED RAY OPTICAL CRYSTAL



Infrared ray optical crystal is formed from materials specially refined for optical crystals as melted and grown into a huge size ingot. Its uncontested high purity, exact crystal lattice and transparency at the transmission range are universally acknowledged. The crystal is available in forms of prism, window or lense of either rough-polish or rough-cut block, or in a random size.

Materials: LiF, NaCl, KCl, KBr, CsI, AgCl, CaF₂, KRS-5, etc.

ELECTRO-OPTIC CRYSTAL



HORIBA, Ltd. is the first in Japan to have developed electro-optic crystal, known as DKDP single crystal especially for modulation of laser beam. The electro-optic effect of the crystal has been greatly expanded by replacing hydrogen in KDP crystal by its isotope, deuterium (maximum deuterium replacement: 99.7%).


Electro-Optical Crystals

	Refractive Index $n_o = 1.486$	Half Wave Voltage $V_{\lambda} = 5412$	2 Cell Element Size
DKDP (Li, Pb)	$n_e = 26.4 \times 10^{-3} \text{ } ^\circ/\text{Y}$	3.5KV	40 x 40 x 40mm
KDP (Li, Pb)	$n_e = 10.3 \times 10^{-3} \text{ } ^\circ/\text{Y}$	7.5KV	42 x 40 x 40mm
KDP (De, Li, Pb)	$n_e = 8.3 \times 10^{-3} \text{ } ^\circ/\text{Y}$	9.5KV	42 x 40 x 40mm

HORIBA, Ltd. HORIBA

Miyahigashi, Kisshoin
Minami-ku, Kyoto, Japan
Phone: (075)-313-8121

KS TYPE SUPER-HIGH -PRESSURE APPARATUS



Specifications

- Sample Chamber Dimension: $20 \times 20 \times 20$ mm
- Generating Pressure: $100,000 \text{ Kg/cm}^2$
- Press. cap: 2,500 t

DIA Apparatus

- Cubic Anvil Apparatus
- Unique Pressing Mechanism for Complete Synchronization

**(Fluid Pressure up to $20,000 \text{ Kg/cm}^2$
Solid Pressure up to $100,000 \text{ Kg/cm}^2$)**

- Super-High-Pressure Generator
- High-Pressure High-Temperature Apparatus
- High-Pressure Gauge
- Various Super-High-Pressure Systems



KOBE STEEL
MACHINERY DIVISION

Tokyo Office: Tekko Building 8-2-1-chome, Marunouchi, Chiyoda-ku, Tokyo, Japan Phone: Tokyo (03) 218-7111
Düsseldorf Office: Immermannstr. 10, 4000 Düsseldorf, West Germany Phone: (0211) 358020, 364550
New York Office: 529 Fifth Avenue, New York, N.Y. 10017, U.S.A. Phone: (212) 867-9710/6
Chicago Office: 111 East Wacker Drive, Chicago, Ill. 60601, U.S.A. Phone: (312) 644-2235/9