

Vol. 47, 1977

No. 2

THE

REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

Kiyoshi Kawatsura : X-Ray Emission Spectra Induced by Ion-Atom Collisions I, Single and Double K-Shell Ionization	53
Kiyoshi Kawatsura : X-Ray Emission Spectra Induced by Ion-Atom Collisions II, Effect of Chemical Bonding and Multiple Ionization on X-Ray Spectra	69
Kiyoshi Shimizu, Noriaki Tsuchihashi and Yoshihito Kondo : Effect of Pressure on Dissociation of Ion Pairs, $MnSO_4$, $CuSO_4$ and $ZnSO_4$	80
Masaru Hongo and Hiroji Iwasaki : The Viscosity of Nitrogen-Ammonia System under Pressures	90
Izumi Ishihara : Electrical Conductance of LiBr in Acetone at High Pressure and 25°C.....	102
Hideki Aomi, Muneeo Sasaki and Jiro Osugi : Photochemical Hydrolysis of <i>m</i>-Nitroanisole under High Pressure	111
Masaru Nakahara, Yasuhiro Uosaki, Muneeo Sasaki and Jiro Osugi : ^{13}C and 1H NMR Studies on the 1, 4-Adduct Formed by the Reaction of Tetracyanoethylene and Styrene.....	119

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

President: Wasaburo Jono

Members of Council:

Michio Okamoto (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

Hiroyuki Hatano

Board of Editors:

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito (") *Osaka Institute of Technology*

S. Shida *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *Kobe University*

T. Makita *Kobe University*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Baika Women's College*

Secretary:

M. Sasaki

K. Hara

M. Nakahara

S. Fukase

December 25, 1977

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan

Like the goose that laid the golden eggs, Asahi Kasei is producing many things for your needs.

To make life better for everyone, Asahi Kasei produces all kinds of fibers and filaments to make the clothes you wear . . . draperies, carpets, wall coverings, blankets . . . tire cords for your automobile. We're in the food business with natural food flavoring and seasoning . . . frozen foods like hamburgers and meat balls. Skyscrapers use Asahi autoclaved lightweight concrete. We care for your health with medical

equipment, medicines, artificial kidneys. Asahi Kasei products also include plastics of all kinds, synthetic rubber, fertilizers, starting materials and intermediates, ion exchange membranes for a non-polluting method of producing caustic soda, photosensitive resins for the printing industry. Our research engineers are working on more new products to make your life easier and happier.



Asahi Chemical Industry

Tokyo Head Office: Hibiya-Mitsui Building, 1-2, Yuraku-cho 1-chome, Chiyoda-ku, Tokyo, Japan
Tel: (03) 507-2730 Telex: 222-3518 (BEMBRG J) Cable: ASAHIKASEI TOKYO

Osaka Head Office: Shin-Osaka Building, 25-1, Dojima Hamadori 1-chome, Kita-ku, Osaka, Japan
Tel: (06) 347-3111 Telex: 523-3811 (BEMBRG J) Cable: BEMBRG OSAKA

The Review of Physical Chemistry of Japan

Vol. 47, 1977

CONTENTS

No. 1

Masaru Nakahara and Jiro Osugi: Ionic Solutions under High Pressure VII, Mobility of Hydrogen Ion in Water at 15, 25 and 40 °C up to 5000 atm	1
Yoshiyuki Tanaka, Takeshi Yamamoto, Yoshimasa Satomi, Hironobu Kubota and Tadashi Makita: Specific Volume and Viscosity of Ethanol-Water Mixtures under High Pressure.....	12
Masakatsu Ueno, Masaru Nakahara and Jiro Osugi: The Effect of Pressure on Micelle Formation and Solubility of Hexadecyltrimethyl- ammonium Bromide in Water	25
Masami Okamoto, Muneo Sasaki and Jiro Osugi: Kinetic Studies on the Cationic Polymerization of Tetrahydrofuran under High Pressure.....	33
Masatake Katayama, Kimihiko Hara and Jiro Osugi: Layer Growth of ZnSb Phase in the Zn-Sb Diffusion Couple at High Pressure	42

No. 2

Kiyoshi Kawatsura: X-Ray Emission Spectra Induced by Ion-Atom Collisions I, Single and Double K-Shell Ionization	53
Kiyoshi Kawatsura: X-Ray Emission Spectra Induced by Ion-Atom Collisions II, Effect of Chemical Bonding and Multiple Ionization on X-Ray Spectra	69
Kiyoshi Shimizu, Noriaki Tsuchihashi and Yoshihito Kondo: Effect of Pressure on Dissociation of Ion Pairs, MnSO₄, CuSO₄ and ZnSO₄	80
Masaru Hongo and Hiroji Iwasaki: The Viscosity of Nitrogen-Ammonia System under Pressures	90
Izumi Ishihara: Electrical Conductance of LiBr in Acetone at High Pressure and 25°C.....	102
Hideki Aomi, Muneo Sasaki and Jiro Osugi: Photochemical Hydrolysis of <i>m</i>-Nitroanisole under High Pressure	111
Masaru Nakahara, Yasuhiro Uosaki, Muneo Sasaki and Jiro Osugi: ¹³C and ¹H NMR Studies on the 1, 4-Adduct Formed by the Reaction of Tetracyanoethylene and Styrene	119

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

Faculty of Science, Kyoto University, Kyoto, Japan

KANEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology. KANEKA's unique, high-quality products are as follows..." Kanekalon," a self-extinguishing modacrylic fiber and is booming for its suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide demand. "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.


- * KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- * KANEKA's products have, for the most part, originated in its own laboratories.
- * 55% of KANEKA's products have been developed on its hands for the first time in Japan.

KANEKA




For further details, please write to:
KANEGAFUCHI CHEMICAL IND. CO., LTD.

Head Office: (Asahi Shinbun Bldg.) 3, 3-chome, Nakanoshima, Kita-ku, Osaka, Japan
Phone: Osaka (06) 202-1121
Tokyo Office: (Ohtemachi Bldg.) 4, 1-chome, Ohtemachi, Chiyoda-ku, Tokyo, Japan
Phone: Tokyo (03) 216-1011
New York Office: PANAM Bldg., 37th Floor, 200 Park Avenue, New York, N.Y. 10017, U.S.A.
Phone: (212) 973-4885
Europe Office: 4 Dusseldorf Berliner Allee 26, West Germany
Phone: 12738



**We serve.....
Many peoples,
Many lands,
Many ways.**

**SYNTHETIC RESINS & PLASTICS
INDUSTRIAL CHEMICALS
FERTILIZERS
DYE STUFFS
AGRICULTURAL CHEMICALS
MEDICINES
CONSTRUCTION AND BUILDING
MATERIALS**



**MITSUBI
TOATSU**




MITSUBI TOATSU CHEMICALS, INC.

2-5, Kasumigaseki 3-chome, Chiyoda-ku, Tokyo, Japan

Cable: "MITSUBI TOATSU TOKYO"

Telex: Call No. 0222-3622 Answer Back Code (MTCHEM J)

Tell us about how you're using fluorine compounds.



Fluorine compounds have many unique qualities. But their usages today are only the beginning; the best is yet to come.

DAIKIN is a total maker of fluorine compounds. Our series of them has been developed from Fluorspar as its basic material. And we've learned a lot along the way.

So the next time you discuss fluorine compounds, think of DAIKIN—the company with all the answers. Answers we're anxious to share.

DAIKIN Fluorochemicals

 **DAIKIN KOGYO CO LTD**

Head Office: Shin-Hankyu Bldg., 8 Umeda, Kita-ku, Osaka, Japan.
Phone: Osaka (06) 346-1201 Telex: 523-3844

**Example of Application with
EMAX-1000 + SEM**



Photo 1 : 700 fold enlargement of an IC. The lower part shows the line analysis of Al. The electron Beam is scanned over the line (scanning time: 80 sec.).



Photo 2: The plan analysis of Photo 1 showing Al distribution.



Photo 3: Background is removed by contrast enhancer.





Photo 4: The X-ray analysis of the area shown in Photo 1. The brighter peak is the window-set Al. The adjacent peak is Si.

**Simultaneous qualitative analysis of
multi-elements (^{11}Na - ^{92}U)
in a few tens of seconds.**



X-ray Micro-Analysis System

**HORIBA MODEL EMAX-1000 SERIES
X-RAY ENERGY DISPERSIVE ANALYZERS**

Each of HORIBA Model EXAM-1000 SERIES X-RAY ED ANALYZER for X-ray micro-analysis is a system for simultaneously, speedily and easily analyzing a multiple number of elements of a substance in a small area, by assembling it together with your electron microscope of SEM or TEM type. Extremely reliable. No personal error. Non-destructive. Consists of a high-resolution Si(Li) X-Ray Detector, a Pulse-Height Analyzer and a Video Display.

MAIN APPLICATIONS

Qualitative analysis in the fields of metal and mineral industries, chemical industries and electronic industries.
Fixing the elements in biochemical and bio-assey studies.

Objects: Characteristic X-rays of elements from ^{11}Na (sodium) to ^{92}U (uranium).

System of Measurement: Energy-Dispersive Method by Si(Li) X-Ray Detector.

Energy Resolution: Less than F.W.H.M. 162eV (MnK α Line 5.9keV, 1000 cps)

A group of specialists in HORIBA, Ltd. also offers an engineering service encompassing an overall system in order to maximize the performances of your X-ray analyzer system.

HORIBA

HORIBA, Ltd.

Head Office:
Miyano Higashi, Kishicho, Minami-ku, Kyoto,
Japan

Phone : (075) 313-8121

Cable Add.: HORIBA KYOTO / Telex: 5422130