The Review of Physical Chemistry of Dapan Vol. 49 No. 1 (1979)

тир

REVIEW OF PHYSICAL CHEMISTRY

OF JAPAN

Founded in 1926

CONTENTS

Masaru Hongo: Initial Density Dependence of Gas Viscosity	1
Masaru Hongo: Viscosity of Propylene under Pressures	11
Kiyoshi Shimizu and Noriaki Tsuchihashi: Pressure Effect on Conductance	
of Aqueous Solutions of Potassium Halides	16
Toshihiro Nakayama: Pressure Effect on the EDA Complexes in Solution	25
Yoshimasa Takezaki, Koichi Watanabe, Yoshiyuki Tanaka and Akira	
Nagashima: Some Evaluated Thermophysical Properties of Gaseous	
Ethyne	39
Tsutomu Asano: On the Volume Increase During Cyclization	56

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

President: Wasaburo Jono

Members of Council:

Michio Okamoto (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

Hiroyuki Hatano

Board of Editors:

J. Osugi (Chief) Kyoto University

R. Goto (Associate) Kyoto Sangyo University

E. Suito () Maizuru Technical College

S. Shida

Yokohama University

H. Teranishi

Kyoto Technical University

K. Suzuki

Ritsumeikan University

K. Kuwata

University of Osaka

S. Seki

University of Osaka

R. Fujishiro

Osaka City University

T. Hayakawa

Prefectural University of Osaka

Y. Kubokawa

Prefectural University of Osaka

S. Tsuchihashi

Osaka Institute of Technology

T. Makita

Kobe University

K. Monobe

Okayama University

K. Shimizu

Doshisha University

H. Togawa

Baika Women's College

Secretary:

M. Sasaki

K. Hara

M. Nakahara

N. Sumi

July 25, 1979

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)
Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan

IKANTEKA's

products and technologies shall be at your service

KANEKA has now firmly secured its leading position in Japan's chemical industry, and enjoys a high international reputation not only for its capability of offering unique, high-quality products in quick succession but also for its establishment of technical know-how in various field of technology.

KANEKA's unique, high-quality groducts are as follows... "Kanekalon" and "Kanecaron" a self-extinguishing modacrylic fiber and are booming for suitability and nonflammability for carpets, curtains and wigs. "Kane-Ace B," PVC modifier, is now in brisk world-wide "PVC Dispersion Resin," "Heat Resistant PVC," "Expandable Polystyrene," and so on. A variety of epochal projects are now under way at our 10 laboratories far ahead in the same field both at home and abroad.

- * KANEKA's per capita sales and profit are ranked as one of the highest among all chemical manufacturers in the world, thanks to our very high productivity.
- * KANEKA's products have, for the most part, originated in its own laboratories.
- 55% of KANEKA's products have been developed on its hands for the first time in Japan

KANEGAFUCHI CHEMICAL IND. CO., LTD.

2-4. 3-chome, Nakanoshima, Kita-ku, Osaka

Tel 06: 208-6161 General Affairs Depart

Tokyo Office 3-12 1-chome, Motoakasaka, Minato-ku, Tokyo

Tel: (03) 405-1011

Europe Office Weststraat 34,1040 Brussels, Belgium Tel +02: 2305180

Kaneka Belgiom NV: Nijverheidsstraat 19,2431 Westerlo-Oevel, Belgium Tel 014 214941-5


Kaneka America Corporation: 1251 Avenue of the Americas

New York, NY 10020 U.S.A. Tel (212) 581-6412

Established 1949

Capital





Tell us about how you're using fluorine compounds.

HF NH4F
$$CF_3$$
 CHF2 CF2 COONa CF_3 CHCl2F $CHCl_F_2$ C2H4 F2 C_2H4 F2 Cl_3F CCl2F2 CCl_3F Cl_2F_4 Cl_3F Cl_3F

Fluorine compounds have many unique qualities. But their usages today are only the beginning; the best is yet to come.

DAIKIN is a total maker of fluorine compounds.

Our series of them has been developed from Fluorspar as its basic material. And we've learned a lot along the way.

So the next time you discuss fluorine compounds,

think of DAIKIN—the company with all the answers. Answers we're anxious to share.

DAIKIN Fluorochemicals

② DAIKIN KOGYO CO LTD

Head Office Shin-Hankyu Bldg., 12-39, Umeda 1-Chome, Kitaku, Osaka, Japan Phone: Osaka (06) 346-1201 Telex: 523-3844

Example of Application with EMAX-1000 + SEM



Photo 1: 700 fold enlargement of an IC. The lower part shows the line analysis of AI. The electron Beam is scanned over the line (scanning time: 80 sec.).



Photo 2: The plan analysis of Photo 1 showing Al distribution.



Photo 3: Background is removed by contrast enhancer.





Photo 4: The X-ray analysis of the area shown in Photo 1. The brighter peak is the window-set Al. The adjacent peak is Si.

Simultaneous qualitative analysis of multi-elements (11Na-92U) in a few tens of seconds.



X-ray Micro-Analysis System

HORIBA MODEL EMAX-1000 SERIES X-RAY ENERGY DISPERSIVE ANALYZERS

Each of HORIBA Model EXAM—1000 SERIES X-RAY ED ANALYZER for X-ray micro-analysis is a system for simultaneously, speedily and easily analyzing a multiple number of elements of a substance in a small area, by assembling it together with your electron microscope of SEM or TEM type. Extremely reliable. No personal error. Non-distructive. Consists of a high-resolution Si(Li) X-Ray Detector, a Pulse-Height Analyzer and a Video Display.

MAIN APPLICATIONS

bio-assey studies.

Qualitative analysis in the fields of metal and mineral industries, chemical industries and electronic industries, Fixing the elements in biochemical and Energy- Dispersive Method by Si(Li) X-Ray Detector.
Energy Resolution:
Less than F.W.H.M. 162eV

(MnKα Line 5.9keV, 1000 cps)



A group of specialists in HORIBA, Ltd. also offers an engineering service encompassing an overall system in order to maximize the performances of your X-ray analyzer system.



HORIBA, Ltd.

Head Office:

Miyanohigashi, Kisshoin, Minami-ku, Kyoto, Japan


Phone: (075) 313-8121

Cable Add.: HORIBA KYOTO / Telex: 5422130

We serve.... Many peoples, Many lands, Many ways.

SYNTHETIC RESINS & PLASTICS INDUSTRIAL CHEMICALS FERTILIZERS DYESTUFFS AGRICULTURAL CHEMICALS MEDICINES CONSTRUCTION AND BUILDING

MATERIALS



MITSUI TOATSU CHEMICALS, INC. 2-5, Kasumiqaseki 3-chome, Chivoda-ku, Tokvo, Japan


2-5, Kasumigaseki 3-chome, Chiyoda-ku, Tokyo, Japan Cable: "MITSUITOATSU TOKYO" Telex: Call No.0222-3622 Answer Back Code (MTCHEM J)

Like the goose that laid the golden eggs, Asahi Kasei is producing many things for your needs.


To make life better for everyone,
Asahi Kasei produces all kinds of fibers
and filaments to make the clothes you
wear . . . draperies, carpets, wall
coverings, blankets . . . tire cords for your
automobile. We're in the food business
with natural food flavoring and
seasoning . . . frozen foods like
hamburgers and meat balls. Skyscrapers
use Asahi autoclaved lightweight concrete.
We care for your health with medical

equipment, medicines, artificial kidneys.

Asahi Kasei products also include
plastics of all kinds,
synthetic rubber, fertilizers, starting
materials and intermediates, ion
exchange membranes for a non-polluting
method of producing caustic soda,
photosensitive resins for the printing
industry. Our research engineers are
working on-more new products to make
your life easier and happier.



Tel: (06) 347-3111 Telex: 523-3811 (BEMBRG J) Cable: BEMBRG @SAKA



KS TYPE DIA APPARATUS

The super-high pressure generator developed by Kobe Steel, Ltd. is called the KS type DIA apparatus. The apparatus is used for the research on the solid state physics, synthesizing new substances, producing man-made diamonds and various other experiments in the field of high pressure on solid.

Model No.	DIA-6	DIA-10	DIA-15	DIA-20
Working pressure (kilobars)	100	80	80	60
Working temperature (°C) (under the pressure above)	1,500	1,500	1,500	1,500
Dimensions of sample holder (mm)	6×6×6	10×10×10	15×15×15	20×20×20
Capacity of high pressure press (metric ton)	250	600	1,200	2,500
Input (not including power for heating)	750W 200V 50 or 60Hz	1,500W 200V 50 or 60Hz	1,500W 200V 50 or 60Hz	1,500W 200V 50 or 60Hz
Operation period (minute/cycle)	15	20	25	30

♦ KOBE STEEL

MACHINERY & ENGINEERING DIVISION

- KOBE OFFICE 3-18, 1-chome. Wakinohama-cho, Fukiai-ku, Japan Phone: Kobe (078) 251-1551
- TOKYO OFFICE Tekko Bldg., 8-2, 1-chome, Marunouchi, Chiyoda-ku, Tokyo, Japan Phone:Tokyo (03) 218-7111